

IDENTIFICATION PLATES

Series 10/1500-30/3500 Light Duty Models

In 1981-83, a 17 digit Vehicle Identification Number (VIN) plate is used on all El Camino/Caballero, S-10/15 models and 10/1500-30/3500 Series GM trucks. This plate is located on the top of the instrument panel and is visible from the driver's side looking through the windshield. The plate on all P-models is attached to the toe and dash panel.

An explanation of each of the 17 positions is shown in the chart below. The example VIN number shown at the top of the chart is also shown running vertically down through the chart, with each position on a line with an explanation of its meaning.

Example **1G CDC14D2DF100001**

Position	Information Shown	VIN No.	Digit Designations
1	Country	1	1=Built in U.S.A. 2=Built in Canada J=Built in Japan
2	Manufacturer	G	G=General Motors Corporation 8=Isuzu Motors
3	Type	C	A=Chevrolet Bus (10 or more pass.) B=Chevrolet Truck (Incomplete Vehicle) C=Chevrolet Truck (Complete Vehicle) D=GMC Truck (Incomplete Vehicle) O=GMC Bus (10 or more passengers) T=GMC Truck (Complete Vehicle) Y=Isuzu 5=GMC MPV (Multi-Purpose Vehicle) 8=Chevrolet MPV (Multi-Purpose Vehicle)
4	GVWR Range	D	B=3001-4000 lbs E=6001-7000 lbs H=9001-10,000 lbs C=4001-5000 lbs F=7001-8000 lbs J=10,001-14,000 lbs D=5001-6000 lbs G=8001-9000 lbs K=14,001-16,000 lbs
5	Line & Chassis	C	C=4x2 Conventional Cab L=4x2 LUV K=4x4 Conventional Cab R=4x4 LUV P=4x2 Forward Control S=4x2 Conventional Cab (S-10/15) G=Chevy Van/Vandura, Sportvan/Rally & Cutaway Van T=4x4 Conventional Cab (S-10/15) W=El Camino/Caballero
6	Nominal Rating	1	1=½ ton 2=¾ ton 3=1 ton 8=½ ton (El Camino/Caballero)
7	Body Type	4	0=Sedan Pickup 3=4-Door Cab 7=Motor Home Chassis 1=Hi-Cube/Cutaway/Utility Box 4=2-Door Cab 8=Utility (Blazer/Jimmy) 2=Forward Control 5=Van 9=Stake 6=Suburban
8	Engine	D	*A=3.8L V6 (LD5) G=5.0L V8 (LG9) *K=3.8L V6 (LC3) S=2.2L Diesel (Isuzu) A=1.9L L4 (Isuzu) *H=5.0L V8 (LG4) L=5.7L V8 (LS9) T=4.8L L6 (L25) B=2.8L V6 (LR2) H=5.0L V8 (LE9) M=5.7L V8 (LT9) W=7.4L V8 (LE8) C=6.2L Diesel (LH6) *J=4.4L V8 (L39) N=1.8L L4 (Isuzu) Y=2.0L L4 (LQ2) D=4.1L L6 (LE3) J=6.2L Diesel (LL4) P=5.7L V8 (LF5) *Z=5.7L Diesel (LF9) F=5.0L V8 (LF3)
9	Check Digit	2	For Internal Use
10	Model Year	D	B=1981 C=1982 D=1983 E=1984 F=1985 G=1986
11	Plant	F	If position "1" is a "1" A=Lakewood J=Janesville V=Pontiac B=Baltimore K=Leeds Z=Fremont C=Southgate L=Van Nuys 0=Pontiac D=Doraville N=Norwood 2=Moraine E=Linden R=Arlington 3=Detroit F=Flint S=St. Louis 7=Lordstown G=Framingham T=Tarrytown 8=Shreveport If position "1" is a "2" 1=Oshawa 2=Ste. Therese 3=St. Eustace 4=Scarborough 5=London If position "1" is a "J" 8=Fujisawa
12-17	Sequence Number	100001	Production Sequence 100,001-500,000 - Chevrolet 500,001-999,999 - GMC

*For El Camino/Caballero models only

IDENTIFICATION PLATES


In 1979-80, the Vehicle Identification Number (VIN) plate is used on all light-duty Chevrolet/GMC trucks. This plate is located on the top of the instrument panel and is visible from the driver's side

looking through the windshield on all C, K and G-models. The plate on all P-models is attached to the toe and dash panel.

Series 1-3 LIGHT DUTY MODELS

1973-80 Series 1-3 vehicle serial numbers are interpreted as shown below.

Example: CCD13AF100,001 indicates that a 1980 Model CC10703 was the 1st unit built at Flint.†



1.

Selling Division

- C**—Chevrolet
- T**—GMC Truck

2.

Chassis Type

- C**—Conventional
- K**—4 wheel drive
- G**—Forward Control w/unitized body
- P**—Forward Control

4.

Series

- 1**—10/1500 Series
- 2**—20/2500 Series
- 3**—30/3500 Series
- 4**—10/1500 Series w/F44

5.

Body Type Code

- 1**—4-door Cab
- 2**—Forward Control Chassis
- 3**—Chassis-Cab or Cutaway Van
- 4**—Pickup
- 5**—Chevy Van/Vandura or Step Van/Value Van
- 6**—Suburban or Sportvan/Rally
- 7**—Motor Home Chassis
- 8**—Blazer/Jimmy Utility
- 9**—Stake

6.

Model Year

- 3**—1973
- 4**—1974
- 5**—1975
- 6**—1976
- 7**—1977
- 8**—1978
- 9**—1979
- A**—1980

3.

Engine Description

1973-75 Models

- Q**—250 Six
- T**—292 Six
- X**—307 V8
- V**—350-2 V8
- Y**—350-4 V8
- M**—400-4 V8
- Z**—454-4 V8*
- L**—454-4 V8**

1976 Models

- D**—250 Six
- T**—292 Six
- Q**—305-2 V8
- V**—350-2 V8
- L**—350-4 V8
- U**—400-4 V8
- S**—454-4 V8*
- Y**—454-4 V8**

1977-79 Models

- D**—250 Six
- T**—292 Six
- U**—305-2 V8
- L**—350-4 V8
- R**—400-4 V8
- S**—454-4 V8†
- Y**—454-4 V8‡
- Z**—5.7 L Diesel•

1980 Models

- D**—250 Six
- T**—292 Six
- G**—305-2 V8
- L**—350-4 V8 (LS9)
- M**—350-4 V8 (LT9)
- P**—350-2 V8 (LF5)
- R**—400-4 V8 (LF4)
- S**—454-4 V8 (LF8)
- W**—454-4 V8 (LE8)
- X**—400-4 V8 (LE4)
- Z**—5.7 Diesel

*6000-lb and under GVWR

**Over 6000 GVWR

†Conventional models only (1977); All models (1978-79)

•Motor Home Chassis models (1977 only)

•1978-79 only

7.

Assembly Plant Code

- A**—GMAD—Lakewood
- B**—GMAD—Baltimore
- F**—Chevrolet—Flint
- J**—GMAD—Janesville
- S**—GMAD—St. Louis
- V**—GMTC—Pontiac

- Z**—GMAD—Fremont
- O**—GMTC—Pontiac (Vans only)
- 3**—Chevrolet—Detroit
- 4**—GM of Canada—Scarborough
- 5**—GM of Canada—London
- 8**—Isuzu—Fujisawa, Japan (LUV)

†All 1980 10/1500-30/3500 models built at all locations except Detroit and Flint will be numbered sequentially starting with 100,001 at each assembly plant. Blazer/Jimmy and Suburban models built at Flint North (Line 2) will be numbered sequentially starting with 100,001, while P10/1500-30/3500 models built at Detroit and 10/1500-30/3500 models built at Flint South (Line 1) will be numbered sequentially starting with 300,001.

7.003 FRAME, Chassis Frame

85-86	C107 (03)	15589784	1	697.00	FRAME,
85-86	C109 (03)	15589785	1	834.00	FRAME,
85-86	C109 (06)	15589792	1	834.00	FRAME,
85-86	C2 (03) (6.2C, 305H, 350L)	15589786	1	834.00	FRAME,
85-86	C2 (03) W/H.D.FRAME	15589787	1	876.00	FRAME,
85-86	C2 (06)	15589793	1	844.00	FRAME,
85-86	C2 (43)	15589791	1	1073.00	FRAME,
85-86	C309 (03)	15589788	1	834.00	FRAME,
85-86	C309 (43)	15589807	1	1073.00	FRAME,
85-86	C310 (03)	15589805	1	920.00	FRAME,
85-86	C310 (03) W/H.D. SUSP F42	15589805	1	920.00	FRAME,
85-86	C314 (03)	15589790	1	1020.00	FRAME,
85-86	C314 (03) W/H.D. SUSP F42	15589806	1	1020.00	FRAME,
85-86	K1 (06) (350L)	15589803	1	821.00	FRAME,
85-86	K1 (06) (6.2C) (EXC AS3)	15589803	1	821.00	FRAME,
85-86	K1 (06) (6.2C) W/AS3	15589804	1	879.00	FRAME,
85-86	K1 (16)	15589794	1	693.00	FRAME,
85-86	K107 (03)	15536601	1	696.00	FRAME,
85-86	K109 (03)	15589796	1	834.00	FRAME,
85-86	K209 (03) (350L, 6.2)	15589796	1	834.00	FRAME,
85-86	K209 (03) (6.2J, 292T, 350M)	15589798	1	1020.00	FRAME,
85-86	K209 (06)	15589804	1	879.00	FRAME,
85-86	K309 (03)	15589799	1	917.00	FRAME,
85-86	K309 (43)	15589810	1	1115.00	FRAME,
85-86	K309 (43) (EXC H.D.FRAME)	15589802	1	1115.00	FRAME,
85-86	K310 W/H.D.FRAME	15589808	1	957.00	FRAME,
85-86	K310 (03)	15589800	1	957.00	FRAME,
85-86	K314	15589809	1	1062.00	FRAME,
85-86	K314 (03) (EXC H.D.FRAME)	15589801	1	957.00	FRAME,
85-86	P208 (42)	15589765	1	882.00	FRAME,
85-86	P210 (42)	15589767	1	675.00	FRAME,
85-86	P308 (32)	15589760	1	898.00	FRAME,
85-86	P308 (32) W/FS3	15589772	1	898.00	FRAME,
85-86	P308 (42)	15589766	1	882.00	FRAME,
85-86	P308 (42) (EXC B3D)	15589777	1	882.00	FRAME,
85-86	P308 (42) W/FS3, B3D	15589781	1	882.00	FRAME,
85-86	P310 (42) (EXC FS3)	15589768	1	642.00	FRAME,
85-86	P310 (42) W/FS3 (EXC B3D)	15589778	1	592.00	FRAME,
85-86	P310 (42) W/FS3, B3D	15589782	1	592.00	FRAME,
85-86	P311 (32)	15589761	1	1128.00	FRAME,
85-86	P311 (32) W/FS3	15589773	1	1128.00	FRAME,
85-86	P314 (32) W/JB8	15589762	1	1128.00	FRAME,
85-86	P314 (32) W/JF9	15589763	1	1128.00	FRAME,
85-86	P314 (32) W/FS3	15589774	1	1128.00	FRAME,
85-86	P314 (32) W/JB9	15589775	1	1128.00	FRAME,
85	P314 (42)	15596642	1	979.00	FRAME,
85-86	P314 (42) (EXC FS3)	15589769	1	1122.00	FRAME,
85-86	P314 (42) W/FS3 (EXC B3D)	15589779	1	904.00	FRAME,
85-86	P314 (42) W/FS3, B3D	15589783	1	1122.00	FRAME,
85-86	P318 (32)	15589764	1	1231.00	FRAME,
85-86	P318 (32) W/FS3	15589776	1	1231.00	FRAME,
85-86	P318 (42)	15589771	1	1149.00	FRAME,
85-86	P318 (42) W/FS3 (EXC B3D)	15589780	1	1149.00	FRAME,
86	P314 (42)	15589770	1	979.00	FRAME,

7.006 BOLT-MEMBER-REINFORCEMENT, Frame Side

85-86	K1, 2 (03)	15538420	LH	.68	BOLT, S/MBR REINF BR
85-86	C1 (06)	14072627	LH	311.00	MEMBER, SI
85-86	C1 (06)	14072628	RH	311.00	MEMBER, SI
85-86	C107	14072611	LH	245.00	MEMBER, SI
85-86	C107	14072612	RH	245.00	MEMBER, SI
85-86	C109 (03)	14072613	LH	286.00	MEMBER, SI
85-86	C109 (03)	14072614	RH	286.00	MEMBER, SI
85-86	C2 (03) (4.3N, 6.2C, 305H, 350L)	14072615	LH	348.00	MEMBER, SI
85-86	C2 (03) (4.3N, 6.2C, 305H, 350L)	14072616	RH	348.00	MEMBER, SI
85-86	C2 (03) (6.2J, 292T, 350M, 454W)	14072617	LH	348.00	MEMBER, SI
85-86	C2 (03) (6.2J, 292T, 350M, 454W)	14072618	RH	348.00	MEMBER, SI
85-86	C2 (06)	14072629	LH	319.00	MEMBER, SI
85-86	C2 (06)	14072630	RH	319.00	MEMBER, SI
85-86	C2, 3 (43) (EXC H.D.SUSP F42)	14072625	LH	348.00	MEMBER, SI
85-86	C2, 3 (43) (EXC H.D.SUSP F42)	14072626	RH	348.00	MEMBER, SI

1985-86 TRUCK SERIES IDENTIFICATION Continued


SERIES P200-300 FORWARD CONTROL MODELS

SERIES					NOMINAL TON RATING	WHEEL- BASE
	CONVENTIONAL FORWARD CONTROL CHASSIS	MOTOR HOME FORWARD CONTROL CHASSIS	2-DOOR FORWARD CONTROL STEEL VAN (STEP-VAN/ VALUE VAN)	2-DOOR FORWARD CONTROL ALUMINUM VAN (STEP-VAN/ VALUE VAN)		
P208	42		42 + E32	42 + E33	3/4	125
P210	42		42 + E32	42 + E33		133
P308	42	32	42 + E32	42 + E33	1	125
P310	42		42 + E32	42 + E33		133
P311		32				137
P314	42		42 + E32	42 + E33		157
		32				158.5
P318	42	32		42 + E33		178

NOTE: All light duty model numbers are preceded by the letter "C" for Chevrolet models and by the letter "T" for GMC Truck and Coach models. All GMC Truck and Coach model identifications are obtained through stipulation of RPO Z88.

MOTOR HOME CHASSIS

MOTOR HOME CHASSIS MODEL SELECTOR



SERIES	MODEL NUMBER				BODY ORDERING CODE
	125" WB	137" WB	158.5" WB	178" WB	
P30/3500	P30832	P31132	P31432	P31832	ZW9

MOTOR HOME CHASSIS

STANDARD SPECIFICATIONS


(See Gray Tab Section for Specification Details)

Model	P30832, P31132, P31432	P31832
Engine	7.4 Liter 454 4-bbl. V8	
Air Filter	Polyurethane-wrapped Oiled-paper	
Oil Filter	Throwaway Type	
Oil Cooler	Standard	
Exhaust System	Dual; Aluminized	
Emission Control Systems	See Engine & Cooling Section for specific model applications	
Suspension, Front	Independent	
Type	Coil Springs with Auxiliary Air Springs	
Capacity	4300 lb.	5000 lb.
Springs @ Ground	2500 lb. ea.	2500 lb. ea.
Shock Absorbers	35mm dia.	35mm dia.
Stabilizer Bar	1.25" dia.	1.25" dia.
Suspension, Rear	Salisbury Axle, Hypoid Drive; Two-stage Multi-leaf Springs	
Axle Capacity	7900 lb.	10,000 lb.
Axle Ratio	4.10	4.56
Springs @ Ground	3100 lb. ea.	5000 lb. ea.
Shock Absorbers	32mm dia.	35mm dia.
Stabilizer Bar	1.75" dia.	1.75" dia.
Brakes	Hydraulic; Self-adjusting	
Front	Disc; 12.5" Rotor	Disc; 14.25" Rotor
Rear	Drum; 13" x 3.5"	Disc; 13.75" Rotor
Booster	Hydro-Boost	Hydro-Boost
Parking	Cable to Rear Wheels	Prop Shaft
Electrical	12 Volt; Negative Ground	
Battery—Freedom Type	515 CCA ♦ @ 0°F.	
—Reserve Capacity	115 min. @ 80°F.	
Delcotron Generator	66 amp.	
Frame	Carbon Steel; 36,39,000 psi	
Section Modulus	125", 137" WB—5.26 158.5" WB—6.12	6.12
Fuel Tank (nominal capacity)	40 gal.	
Permanent	5 qt.	
Temporary		
Steering Gear Type	Integral Power	
Steering Wheel	Comfortilt	
Transmission	Automatic	
Oil Cooler	Standard; Integral with Radiator	
Tires	Tubeless	
Front	(2) LT215/85R16D (8PR)	(2) 8-19.5D (8PR)
Rear	(4) LT215/85R16C (6PR) (Dual)	(4) 8-19.5D (8PR) (Dual)
Wheels	(6) 16" x 6"	(6) 19.5" x 6.0"

♦CCA-Cold Cranking Amps

MOTOR HOME CHASSIS

Body Ordering Code—ZW9



Model	Engine No. Cyl.	Body Length (ft)	Dimensions (in)★			Curb Weights (lb)†			Ground Clearance (in)★	
			WB	OL	GT	Front	Rear	Total	Front	Rear
P30832	8	18-20	125	206.3	27.9	2278	1623	3901	9.2	8
P31132	8	21-23	137	234.3	27.9	2284	1659	3943	9.2	8
P31432	8	24-26	158.5	259.4	27.9	2302	1743	4045	9.2	8
P31832	8	26-28	178	317.3	30.6	2429	2075	4504	10.2	8.9

★Dimensions with standard equipment, unloaded.

†Total Curb Weight may vary as much as ± 150 lbs. to allow for production build variation.

MOTOR HOME CHASSIS

POWER TEAMS

ALL STATES

POWER TEAMS (MUST ORDER ENGINE, TRANSMISSION AND REAR AXLE)

(Consult GVWR Selector and Tire Chart to insure tire capacity and availability)

W/NA5 STANDARD (Satisfies High Altitude Emission Requirements)

W/NA6 HIGH ALTITUDE OR YF5 CALIFORNIA EMISSIONS

ENGINE	TRANSMISSION	AXLES	GVWR
	AUTO	*4.10 4.56 4.88	
P30832-31132-31432 W/O 7.50-16/D (PE) Tires			
#LE8 V8 7.4 Liter (454-4BBL)	MX1	*GQ1 — —	10500
	MX1	*GQ1 — —	11800
	MX1	— *HF7 *HF8	%14500
■ LL4 Diesel w/Water In-Fuel Indicator 6.2 Liter V8 (379 Cu. In.)(Reqs B3J)	MX1	*GQ1 — —	10500
	MX1	*GQ1 — —	11800
P30832-31132-31432 W/7.50-16/D (PE) Tires			
#LE8 V8 7.4 Liter (454-4BBL)	MX1	*GQ1 HC4 —	10500
	MX1	*GQ1 HC4 —	11000
	MX1	*GQ1 HC4 —	11800
	MX1	*GQ1 HC4 —	12300
■ LL4 Diesel 6.2 Liter V8 (379 Cu.In.)(Reqs B3J)	MX1	— GQ1 —	10500
	MX1	— GQ1 —	11000
	MX1	— GQ1 —	11800
	MX1	— GQ1 —	12300
P31832			
#LE8 V8 7.4 Liter (454-4BBL)	MX1	— GQ1 HF8	14500

*N/A G80 Locking Differential

%CP31432 only

■N/A NA6 High Altitude Emissions. With NA5 Emissions
Satisfies High Altitude Requirements

■ High Altitude Emission Equipment (FOR EXHAUST SMOKE REDUCTION PURPOSES
AT HIGH ALTITUDE; NOT REQUIRED TO SATISFY HIGH ALTITUDE EMISSION REGULATIONS).

ENGINE RATINGS

ALL STATES EXCEPT CALIFORNIA

SAE Net Ratings	7.4 Liter 454 4-bbl V8	6.2 Liter 379 V8 Diesel
Net Horsepower.....	230 @ 3800 rpm	135 @ 3600 rpm
Net Torque, lb-ft.....	360 @ 2800 rpm	240 @ 2000 rpm

CALIFORNIA ONLY

SAE Net Ratings	7.4 Liter 454 4-bbl V8	6.2 Liter 379 V8 Diesel
Net Horsepower.....	230 @ 3800 rpm	135 @ 3600 rpm
Net Torque, lb-ft.....	360 @ 2800 rpm	240 @ 2000 rpm

MOTOR HOME CHASSIS

GVWR SELECTOR—ALL STATES

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating		
			Tire Capacity (lbs ea)		Chassis Equipment
	Front	Rear	Front	Rear	
125", 137", 158.5" WB Models					
10,500	4300	6200	2315	1764	Standard
11,000	4880	6200	2440	2140	HD Front Suspension (F66)
11,800	4300	7500	2315	2105	HD Rear Springs (G50)
12,300	4880	7500	2440	2140	HD Front Suspension (F66); HD Rear Springs (G50)
●14,500	5000	9840	2800	2460	10,000-lb Rear Axle (HF7/HF8)
178" WB Model					
14,500	5000	9840	2800	2460	Standard

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

● Available on 158.5" WB model only.

FRONT AND REAR TIRE AVAILABILITY CHART—ALL STATES

Spare tire to match either front or rear tires available at extra cost

Description	Capacity (lbs each)		Highway		Spare
	Front	Dual Rear	Front	Dual Rear	

125", 137", 158.5" WB Models

TUBELESS					
LT215/85R16D Steel Belted Radial	2315	2105	XYK	YYK	ZYK
LT215/85R16C Steel Belted Radial	—	1764	—	YYJ	ZYK

157.5", 178" WB Models

TUBELESS					
*8-19.5D Polyester	2800	2460	XSN	YSN	ZSN

125", 137", 158.5" WB Models

TUBE-TYPE					
7.50-16D Polyester	2440	2140	XPE	YPE	ZPE

*Requires 10,000 lb. rear axle (HF7 or HF8) on 158.5" WB model.

MOTOR HOME CHASSIS

6.2 LITER DIESEL ENGINE

Equipment Included With 6.2L Diesel Engine:

- Low Coolant Sensor
- Poly-wrapped Paper Element Air Cleaner
- Engine Block Heater
- Fuel Tank with water detection and drain system
- Fuel Line Heater

B3J DIESEL EQUIPMENT PACKAGE

(Requires 6.2 Liter Diesel Engine)

Equipment Included With B3J Diesel Equipment Package:

- Dual 550 Cold Cranking Amp/115 min. Reserve Capacity Batteries
- HD Radiator
- Dual Exhaust System
- Warning Lights: Glow Plugs, Water Coolant
- Diesel Engine Identification:
 - Nameplates
 - “Diesel Fuel Only” filler cap

MOTOR HOME CHASSIS (10,500-lb - 14,500-lb GVW)

1983 VEHICLES WITH STANDARD EQUIPMENT

Prices shown are effective with initial shipment of 1983 model motor vehicles

Description	Model Number	Body Code	Wheel Base	Factory D&H(a)	List Price	Mfr's Suggested Retail Price★	Group Number
♦ 8 Cylinder 7.4 Liter (454 Cu. In.) 4 BBL Engine-Engine Ordering Code LE8							
Motor Home Chassis	CP/TP30832	ZW9	125"	22.66	8388.00	8410.66	22
Motor Home Chassis	CP/TP31132	ZW9	137"	22.66	8469.00	8491.66	22
Motor Home Chassis	CP/TP31432	ZW9	158.5"	22.66	8610.00	8632.66	22
Motor Home Chassis	CP/TP31832	ZW9	178"	27.66	9844.00	9871.66	22

★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, optional equipment or accessories or special items or services.

♦ Refer to Power Team Chart for California Emission Certification Requirements.

OPTIONS AND ACCESSORIES WHEN INSTALLED BY GENERAL MOTORS

Prices shown are effective with initial shipment of 1983 model motor vehicles

Description	Option Number	Factory D&H(a)	List Price	Mfr's Suggested Retail Price ◇
Emission Systems: Dealer Note -- One of the following emission options must be specified.				
<i>California Emission Requirements:</i> Includes all testing, equipment and/or certification necessary for registration in the State of California. See Power Teams Chart for availability and complete specifications.				
Without B3J Diesel Equipment Package	YF5	N.A.	150.00	150.00
With B3J Diesel Equipment Package	YF5	N.A.	215.00	215.00
<i>High Altitude Emission Equipment.</i> Available only when B3J Diesel Equipment Package is specified. Not available when YF5 California Emission Requirements or NA5 Standard Emission Equipment is specified.	NA6	NO ADDITIONAL CHARGE		
<i>Standard Emissions Equipment.</i> Not available when YF5 California Emission Requirements is specified.	NA5	NO ADDITIONAL CHARGE		
Engines: (See Power Teams Chart for availability and complete specifications)				
7.4 Liter (454 Cu. In.) 4 BBL V8	LE8	NO ADDITIONAL CHARGE		
6.2 Liter (379 Cu. In.) H.D. V8 Diesel. Available only when B3J Diesel Equipment Package is specified. Not available on P31832	LL4	N.A.	1334.00	1334.00
Transmission: 3-Speed Automatic	MX1	NO ADDITIONAL CHARGE		
Axles, Rear: (See Power Teams Chart for option number selection, availability and complete specifications)				
<i>Optional Ratio.</i>	...	N.A.	36.00	36.00
<i>Capacity 10,000-lb. Heavy Duty.</i> P31432 available only when SN 8-19.5 Tires are specified. Not available on P30832 or P31132. Includes H.D. power 4-wheel disc brakes, 5000-lb capacity Positrim front suspension, 10,000-lb capacity rear springs and propeller shaft mounted parking brake.				
4.56 Ratio. Standard on 178" wheelbase. Not available when B3J Diesel Equipment Package is specified	HF7	N.A.	1502.00	1502.00
4.88 Ratio. Not available when B3J Diesel Equipment Package is specified.	HF8	N.A.	1502.00	1502.00
158.5" wheelbase only	HF8	N.A.	36.00	36.00
178" wheelbase only	HF8	N.A.	36.00	36.00
<i>Locking Differential.</i> Not available on 178" wheelbase.	G80	N.A.	230.00	230.00
Tires:				
TUBELESS P30832, P31132 or P31432 only.				
All rim sizes are 6.00"				
<i>LT215/85R16-C Steel Belted Highway Radial Blackwall</i>				
(Maximum Capacity Each, Dual Rear 1764-lbs)	YYJ	NO ADDITIONAL CHARGE		
Rear. (Standard)				
<i>LT215/85R16-D Steel Belted Highway Radial Blackwall</i>				
(Maximum Capacity Each, Front 2315-lbs) (Dual Rear 2105-lbs)	XYK	NO ADDITIONAL CHARGE		
Front. (Standard)				
Rear	YYK	.32	64.00	64.32
Spare	ZYK	3.83	310.00	313.83

(a) D & H Charges on vehicle and optional equipment include reimbursement to ordering Division for any tax that it has paid, incurred or agreed to pay thereon.

◇ State and local taxes not included.

MOTOR HOME CHASSIS

OPTIONS AND ACCESSORIES WHEN INSTALLED BY GENERAL MOTORS

Prices shown are effective with initial shipment of 1983 model motor vehicles

Description	Option Number	Factory D&H(a)	List Price	Mfr's Suggested Retail Price◇
Tires: (Continued)				
TUBELESS. P31432 or P31832 only. All 8-19.5 tires on P31432 available only when HF7 or HF8 10,000-lb Rear Axle is specified.				
8-19.5/D Highway Polyester Blackwall				
(Maximum Capacity Each. Front 2800-lbs) (Dual Rear 2460-lbs)				
Front				
P31432 only	XSN	1.56	(-96.00)	(-94.44)
P31832 only. (Standard)	XSN		NO ADDITIONAL CHARGE	
Rear				
P31432 only	YSN	3.44	(-128.00)	(-124.56)
P31832 only. (Standard)	YSN		NO ADDITIONAL CHARGE	
Spare	ZSN	4.61	262.00	266.61
TUBE-TYPE. P30832, P31132 or P31432.				
7.50-16/D Highway Polyester Blackwall				
(Maximum Capacity Each. Front 2440-lbs) (Dual Rear 2140-lbs)				
Front	XPE	.14	(-176.00)	(-175.86)
Rear	YPE	.60	(-288.00)	(-287.40)
Spare	ZPE	3.90	222.00	225.90

OTHER OPTIONS

Diesel Equipment Package: Available only when LL4 6.2 Liter Diesel Engine is specified. Not available on 178" wheelbase. Includes two heavy-duty batteries, H.D. Radiator and special instrument cluster

B3J N.A. 485.00 485.00

Engine Block Heater: Not available when B3J Diesel Equipment Package is specified

K05 N.A. 31.00 31.00

Preliminary Price Information

B3W N.A. N.A. N.A.

Springs: Rear, Heavy-Duty. Capacity 3750-lb each. Available only when YK LT215/85R16D or PE 7.50-16 Rear Tires are specified. Not available on 178" wheelbase or when HF7 or HF8 10,000-lb Rear Axle is specified.

G50 N.A. 55.00 55.00

Suspension: Positrim. Front, Heavy-Duty. Available only when PE 7.50-16 Tires are specified. Not available on 178" wheelbase or when HF7 or HF8 10,000-lb Rear Axle is specified.

F66 N.A. 478.00 478.00

Wheels, Spare: 19.5" x 6.00". P31432 or P31832 only. Available only when SN 8-19.5/D Tires are specified

Q34 N.A. 75.00 75.00

(a) D & H Charges on vehicle and optional equipment include reimbursement to ordering Division for any tax that it has paid, incurred or agreed to pay thereon.
◇ State and local taxes not included.

MOTOR HOME CHASSIS

EXTERIOR FEATURES—STANDARD MODELS

The Standard models include the following items as standard equipment.

- **Color:** Chassis and components painted black
 - **Emblem:** Bright Chevrolet/GMC letters (Furnished loose in parts box)
 - **Front Frame Member:** Heavy channel reinforcement; painted black
 - **Horn:** Single; low note; electric
 - **Instruments:**
 - Gages: Speedometer, odometer, voltmeter, oil pressure, engine temperature and fuel
 - Switches: Main, for control of exterior lights and instrument lights; headlight beam (foot); ignition, direction signal with lane change position; and hazard warning
 - Warning lamps: service-parking brake, direction/hazard signal and high beam
 - NOTE: Ignition, direction signal, and hazard warning switches are installed; all other gages, switches and warning lamps are furnished loose in parts box*
 - **Lights:** (Furnished loose in parts box)
 - Combination parking/direction/hazard
 - Headlamps: Two; Power Beam
 - **Steering Wheel:** Six-position Comfortilt type; 16" diameter; 2-spoke, black soft vinyl
 - **Tilt Steering Column:** Lever adjusting control (Six-position)
 - **Wheels:** Painted white
-


MOTOR HOME CHASSIS

125" WB

137" WB

158.5" WB

178" WB



Model CP31832 (178" WB) Illustrated